

Notice of Allowability

Application No.

10/038,982

Applicant(s)

ALBERT ET AL.

Examiner

Art Unit

Liang-che Alex Wang

2155

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed on 12/7/2006.
2. ☒ The allowed claim(s) is/are 1, 3-11, 13-16, 18-24, 26-29, 31 (renumbered as 1-26).
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____ |


SALEH NAJAR
SUPERVISORY PATENT EXAMINER

EXAMINER'S AMENDMENT

1. Claims 1, 3-11, 13-16, 18-24, 26-29, 31 are allowed.
2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
3. Authorization for this examiner's amendment was given in a telephone interview with Charles S. Fish (Reg. No. 35,870) on 02/07/2007.
4. The application has been amended as follow:

1. (Currently Amended) A system for communicating user identification information over a communications network, comprising:

a first network interface operable to establish a communication session with a network user, the first network interface operable to assign the network user a network locator address for the communication session from a range of network locator addresses available to the first network interface for allocation, the first network interface operable to authenticate an identity of the network user;

a second network interface operable to process a request sent by the user in the communication session, the request being forwarded by the first network interface and includes the network locator address of the network user, the second network interface operable to determine if the identity of the network user associated with the network locator address is stored in a local memory of the second network interface, the second network

Art Unit: 2155

interface operable to obtain additional information about the network user in response to the identity of the network user being stored in the local memory, the second network interface operable to process the request according to the additional information

wherein the second network interface is operable to send a query according to the network locator address to the first network interface upon determining that there is no network user identity associated with the network locator address of the network user stored in the local memory, the first network interface operable to provide the identity of the network user to the second network interface in response to the query.

2. (Canceled).

3. (Original) The system of Claim 1, wherein the second network interface is operable to send a query to the network user upon determining that there is no network user identity associated with the network locator address of the network user stored in the local memory, the second network interface operable to receive the identity of the network user in response to the query.

4. (Original) The system of Claim 3, wherein the second network interface is operable to authenticate the identity of the network user received from the first network interface.

5. (Original) The system of Claim 3, wherein the second network interface is operable to store the identity of the

Art Unit: 2155

network user in the local memory and associate the identity of the network user with the network locator address.

6. (Original) The system of Claim 1, wherein the network is an Internet Protocol network and the network locator address is an Internet Protocol address.

7. (Original) The system of Claim 1, wherein the additional information about the network user includes at least one service to be performed on the request.

8. (Original) The system of Claim 7, wherein the at least one service to be performed on the request includes rating and filtering content of an exchange of information with the network user associated with the request.

9. (Original) The system of Claim 1, wherein the second network interface associates the request, the network locator address, and the identity of the network user with the first network interface.

10. (Original) The system of Claim 1, wherein the first network interface provides the second network interface with an association of the identity of the network user with the network locator address upon establishing the communication session.

Art Unit: 2155

11. (Currently Amended) A device for communicating user identification information over a communications network, comprising:

a client service gateway operable to process a request sent by a network user in a communication session, the network user having a network locator address, the request being forwarded by a service selection gateway network interface that has authenticated an identity of the network user and assigned the network locator address to the network user for the communication session from a range of network locator addresses available to the first network interface for allocation, the request including the network locator address of the network user, the client service gateway operable to determine if the identity of the network user associated with the network locator address is stored in a local memory of the client service gateway, the client service gateway operable to obtain additional information about the network user in response to the identity of the network user being stored in the local memory, the client service gateway operable to process the request according to the additional information;

wherein the client service gateway is operable to send a query according to the network locator address upon determining that there is no network user identity associated with the network locator address of the request stored in the local memory, the client service gateway operable to receive the identity of the network user in response to the query, the client service gateway operable to associate and store the received identity of the network user with the network locator address of the request.

Art Unit: 2155

12. (Canceled).

13. (Currently Amended) The device of ~~Claim 12~~ Claim 11, wherein the client service gateway is operable to determine an appropriate one of a plurality of service selection gateways that established the communication session with the network user to send the query in response to the network locator address.

14. (Original) The device of Claim 11, wherein the client service gateway is operable to receive an association of the identity of the network user with the network locator address upon establishment of the communication session.

15. (Original) The device of Claim 11, wherein the additional information includes a service associated with the network user to be performed on the request, the client service gateway operable to perform the service on the request.

Art Unit: 2155

16. (Currently Amended) A method for communicating user identification information over a communications network, comprising:

receiving a request by a network user in a communication session, an identity of the network user being previously determined upon establishment of the communication session;

receiving information that identifies a network location of the network user, the network location being assigned to the network user upon establishment of the communication session from a range of network location information available for allocation;

determining if the identity of the network user associated with the network location information is stored in a memory;

retrieving additional information about the network user in response to a determination that the identity of the network user is stored in the memory;

processing the request according to the additional information;

communicating a query according to the network location information for the identity of the network user upon determining that the identity of the network user is not associated with the network location information is stored in memory;

receiving the identity of the network user in response to the query;

storing the received identity of the network user in the memory.

17. (Canceled).

Art Unit: 2155

18. (Currently Amended) The method of ~~Claim 17~~ Claim 16, further comprising:

associating the received identity of the network user with the network location information.

19. (Currently Amended) The method of ~~Claim 17~~ Claim 16, further comprising:

authenticating an identity of the network user.

20. (Original) The method of Claim 16, wherein the network is a Internet Protocol network and the network location information of the network user is an Internet Protocol address.

21. (Original) The method of Claim 16, wherein the additional information includes at least one service to be performed in association with the request.

22. (Original) The method of Claim 21, wherein the at least one service to be performed includes rating appropriate content of an exchange of information associated with the request.

23. (Original) The method of Claim 21, wherein the at least one service to be performed includes filtering an exchange of information associated with the request.

Art Unit: 2155

24. (Currently Amended) A system for communicating user identification information over a communications network, comprising: .

means for receiving a request by a network user in a communication session, an identity of the network user being previously determined upon establishment of the communication session;

means for receiving information that identifies a network location of the network user, the network location being assigned to the network user upon establishment of the communication session from a range of network location information available for allocation;

means for determining if the identity of the network user associated with the network location information is stored in a memory;

means for retrieving additional information about the network user in response to a determination that the identity of the network user is stored in the memory;

means for processing the request according to the additional information;

means for communicating a query according to the network location information for the identity of the network user upon determining that the identity of the network user is not associated with the network location information is stored in memory;

means for receiving the identity of the network user in response to the query;

means for storing the identity of the network user in the memory.

Art Unit: 2155

25. (Canceled).

26. (Previously Presented) The system of Claim 24, further comprising:

means for associating the identity of the network user with the network location information.

27. (Original) The system of Claim 24, further comprising:
means for authenticating an identity of the network user.

28. (Previously Presented) The system of Claim 24, further comprising:

means for performing at least one service specified by the additional information on the request.

Art Unit: 2155

29. (Currently Amended) A computer readable medium including code for communicating user identification information over a communications network, the code operable to perform a process comprising;

receiving a request by a network user to establish a communication session, the network user having a network locator address within the network;

authenticating an identity of the network user;

assigning the network location to the network user upon establishment of the communication session from a range of network location information available to the first network interface for allocation;

determining if the identity of the network user is associated with the network location information in a memory;

retrieving additional information associated with the network user in response to the memory having an association of the network locator address with the identity of the network user;

processing the request in accordance with the additional information

communicating a query according to the network locator address for the identity of the network user upon determining that there is no association in the memory for the network locator address and the identity of the network user;

receiving the identity of the network user in response to the query;

storing the network user identification information in the memory;

associating the identity of the network user in the memory with the network locator address.

30. (Canceled).

31. (Previously Presented) The computer readable medium of Claim 29, wherein the additional information includes a service to be performed on the request, the code operable to perform the service on the request.


Reason for allowance

5. The following is an examiner's statement of reasons for allowance: the prior art of record does not teach or suggest, individually or in combination a system for communicating user identification information over a communications network wherein a first network interface operable to assign a network user a network work locator address for a communication session from a range of network locator addresses and authenticate an identity of the network user, and wherein a second network interface is operable to send a query according to the network locator addresses to the first network interface upon determining that there is no network user identity associated with the network locator address of the network user stored in the local memory, the first network interface operable to provide the identity of the network user to the second network interface in response to the query in light of other features described in independent claims 1, 11, 16, 24, and 29.

Art Unit: 2155

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Liang-che Alex Wang whose telephone number is (571)272-3992. The examiner can normally be reached on Monday thru Friday, 8:30 am to 5:00 pm.
8. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Saleh Najjar can be reached on (571)272-4006. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
9. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free)..

Liang-che Alex Wang *lw*
February 7, 2007


SALEH NAJJAR
SUPERVISORY PATENT EXAMINER